



Chemlube Multipurpose Automatic Transmission Fluid

Description

- Chemlube Automatic Transmission Fluid is an automatic transmission fluid formulated to meet the needs of high performance, multi-purpose, power transmission fluid requirements. It is designed for use in passenger car and light truck automotive transmissions. It is a blend of high quality base oils and premium additives that provide outstanding oxidation and thermal stability, friction control, load-carrying ability, corrosion and wear protection as well as preventing the accumulations of deposits and the formation of sludge, varnish, and foam.
- It is especially effective in reducing and minimizing annoying transmission “chatter”.
- It also provides fast circulation during cold weather and excellent lubrication and performance when hot.

Features and Benefits

| | |
|---|---|
| Universal unlicensed product that meets prior GM/Ford ATF standards, Allison C4 and other applications calling for use of DIIIH/M quality ATF | * |
| Provides quiet shifting | * |
| Reduces wear of critical parts | * |
| Reduces maintenance costs and extends transmission life | * |
| Outstanding thermal stability and oxidation resistance | * |
| Eliminates transmission noise and vibration | * |
| Inhibits foaming | * |
| Protects transmission against rust, corrosion and varnish | * |

TYPICAL PROPERTIES

| | |
|----------------------|-------|
| API Gravity | 33.0 |
| Viscosity | |
| @ 40°C, cSt | 33.12 |
| @ 100°C, cSt | 7.1 |
| Viscosity Index | 189 |
| Brookfield Viscosity | |
| cP @ -40°C | 17560 |
| Flash Point, °C | 212 |
| Pour Point, °C | -36 |
| Color | Red |

NOTE: Values are typical only. Due to ongoing research, development and product improvement, product formulas are subject to change without notice. Chemlube International can not know all the uses this product may be subject to so it is the user’s responsibility to ascertain that it is suitable for an intended use or application.

Contact: **Chemlube International**
 500 Mamaroneck Avenue
 Harrison, NY 10528 USA
 Tel: +1-914-381-5800; fax: +1-914-381-8988
 E-mail: info@chemlube.com
 www.chemlube.com