

SECTION 1

Safety Data Sheet

SDS Number: 10022 Issue Date: 05/15/18 Reviewed:

PRODUCT IDENTIFICATION

Chemlube Premium Gold Synthetic GHS product Identifier: API SN Plus / ILSAC GF-5 SAE 0W20 Synonyms: MANUFACTURER/ ADDRESS: Chemlube International LLC 500 Mamaroneck Ave. Harrison, N.Y. 10528 USA CHEMTREC - (800) 424-9300 **General Assistance Number:** (914) 381 5800 **SECTION 2 HAZARDS IDENTIFICATION OSHA/HCS** status: While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product. **Classification of the** Not classified. substance or mixture: **GHS label elements** Signal Word : No signal word. Hazard statements : No known significant effects or critical hazards. **Precautionary statements** General : Avoid contact with eyes, skin and clothing. May be harmful if swallowed. IF IN EYES: Rinse cautiously with water for several minutes. If swallowed, do not induce vomiting. After handling, always wash hands thoroughly with soap and water. If you feel unwell, seek medical attention and show the label when possible. Keep out of reach of children. Prevention : Not applicable. Not applicable. **Response**: Store in a dry place and/or in closed container. Store in accordance with all local, Storage : regional, national and international regulations. **Disposal**: Dispose of contents and container in accordance with all local, regional, national and international regulations. Hazards not otherwise None known classified **SECTION 3 Composition/Information on Ingredients**

Components	CAS Number	Amount
Highly refined mineral oil	Mixture	80 – 90 %weight
Petroleum Additives	Mixture	10 – 20 %weight

Any concentration shown as a range is to protect confidentiality or is due to process variation. There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4

FIRST AID MEASURES

Description of necessary first aid measures

Eye contact:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur
Skin contact:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion:	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute

Potential acute health effects

Inhalation :	No known significant effects or critical hazards.
Ingestion :	No known significant effects or critical hazards.
Skin contact :	No known significant effects or critical hazards.
Eye contact :	No known significant effects or critical hazards.

Over-exposure signs/symptoms

Inhalation:	No specific data
Ingestion:	No specific data
Skin contact:	No specific data
Eye contact :	No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician :	Treat symptomatically. Contact poison treatment specialist immediately if large
	quantities have been ingested or inhaled.
Specific treatments :	Treat symptomatically and supportively.
Protection of first-aiders :	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 13)

SECTION 5

FIRE FIGHTING MEASURES

Specific hazards arising: In a fire or if heated, a pressure increase will occur and the container may burst. **from the chemical**

Extinguishing media

Suitable extinguishing Unsuitable extinguishing media Use an extinguishing agent suitable for the surrounding fire None known

Decomposition products may include the following materials: aarbon dioxide aarbon monoxide sulfur oxides shosphorus oxides netal oxide/oxides Promptly isolate the scene by removing all persons from the vicinity of the incident if here is a fire. No action shall be taken involving any personal risk or without suitable raining. irre-fighters should wear appropriate protective equipment and self-contained breathing pparatus (SCBA) with a full face-piece operated in positive pressure mode ACCIDENTAL RELEASE MEASURES equipment and emergency procedures o action shall be taken involving any personal risk or without suitable training. ivacuate surrounding areas. Keep unnecessary and unprotected personnel from ntering. Do not touch or walk through spilled material. Put on appropriate personal rotective equipment if specialized clothing is required to deal with the spillage, take note of any n Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". void dispersal of spilled material and runoff and contact with soil, waterways, drains nd sewers. Inform the relevant authorities if the product has caused environmental ollution (sewers, waterways, soil or air). mment and cleaning up: top leak if without risk. Move containers from spill area. Dilute with water and mop up
 barbon dioxide arbon monoxide sulfur oxides obosphorus oxides netal oxide/oxides obosphorus oxides netal oxide/oxides Promptly isolate the scene by removing all persons from the vicinity of the incident if here is a fire. No action shall be taken involving any personal risk or without suitable raining. ire-fighters should wear appropriate protective equipment and self-contained breathing pparatus (SCBA) with a full face-piece operated in positive pressure mode ACCIDENTAL RELEASE MEASURES equipment and emergency procedures o action shall be taken involving any personal risk or without suitable training. vacuate surrounding areas. Keep unnecessary and unprotected personnel from ntering. Do not touch or walk through spilled material. Put on appropriate personal rotective equipment f specialized clothing is required to deal with the spillage, take note of any in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". void dispersal of spilled material and runoff and contact with soil, waterways, drains ind sewers. Inform the relevant authorities if the product has caused environmental ollution (sewers, waterways, soil or air). nment and cleaning up: top leak if without risk. Move containers from spill area. Dilute with water and mop up
sulfur oxides phosphorus oxides promptly isolate the scene by removing all persons from the vicinity of the incident if here is a fire. No action shall be taken involving any personal risk or without suitable raining. ire-fighters should wear appropriate protective equipment and self-contained breathing pparatus (SCBA) with a full face-piece operated in positive pressure mode ACCIDENTAL RELEASE MEASURES equipment and emergency procedures o action shall be taken involving any personal risk or without suitable training. vacuate surrounding areas. Keep unnecessary and unprotected personnel from ntering. Do not touch or walk through spilled material. Put on appropriate personal rotective equipment f specialized clothing is required to deal with the spillage, take note of any n Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". void dispersal of spilled material and runoff and contact with soil, waterways, drains nd sewers. Inform the relevant authorities if the product has caused environmental ollution (sewers, waterways, soil or air). nment and cleaning up: top leak if without risk. Move containers from spill area. Dilute with water and mop up
shosphorus oxides netal oxide/oxides Promptly isolate the scene by removing all persons from the vicinity of the incident if here is a fire. No action shall be taken involving any personal risk or without suitable raining. ire-fighters should wear appropriate protective equipment and self-contained breathing pparatus (SCBA) with a full face-piece operated in positive pressure mode ACCIDENTAL RELEASE MEASURES equipment and emergency procedures o action shall be taken involving any personal risk or without suitable training. ivacuate surrounding areas. Keep unnecessary and unprotected personnel from ntering. Do not touch or walk through spilled material. Put on appropriate personal rotective equipment If specialized clothing is required to deal with the spillage, take note of any in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". void dispersal of spilled material and runoff and contact with soil, waterways, drains nd sewers. Inform the relevant authorities if the product has caused environmental ollution (sewers, waterways, soil or air). nment and cleaning up: top leak if without risk. Move containers from spill area. Dilute with water and mop up
Promptly isolate the scene by removing all persons from the vicinity of the incident if here is a fire. No action shall be taken involving any personal risk or without suitable raining. ire-fighters should wear appropriate protective equipment and self-contained breathing pparatus (SCBA) with a full face-piece operated in positive pressure mode <u>ACCIDENTAL RELEASE MEASURES</u> equipment and emergency procedures o action shall be taken involving any personal risk or without suitable training. ivacuate surrounding areas. Keep unnecessary and unprotected personnel from ntering. Do not touch or walk through spilled material. Put on appropriate personal rotective equipment of specialized clothing is required to deal with the spillage, take note of any in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". void dispersal of spilled material and runoff and contact with soil, waterways, drains ind sewers. Inform the relevant authorities if the product has caused environmental ollution (sewers, waterways, soil or air). nment and cleaning up: top leak if without risk. Move containers from spill area. Dilute with water and mop up
here is a fire. No action shall be taken involving any personal risk or without suitable raining. ire-fighters should wear appropriate protective equipment and self-contained breathing pparatus (SCBA) with a full face-piece operated in positive pressure mode <u>ACCIDENTAL RELEASE MEASURES</u> equipment and emergency procedures o action shall be taken involving any personal risk or without suitable training. If you are surrounding areas. Keep unnecessary and unprotected personnel from intering. Do not touch or walk through spilled material. Put on appropriate personal rotective equipment f specialized clothing is required to deal with the spillage, take note of any in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". void dispersal of spilled material and runoff and contact with soil, waterways, drains ind sewers. Inform the relevant authorities if the product has caused environmental ollution (sewers, waterways, soil or air). <u>mment and cleaning up:</u> top leak if without risk. Move containers from spill area. Dilute with water and mop up
here is a fire. No action shall be taken involving any personal risk or without suitable raining. ire-fighters should wear appropriate protective equipment and self-contained breathing pparatus (SCBA) with a full face-piece operated in positive pressure mode <u>ACCIDENTAL RELEASE MEASURES</u> equipment and emergency procedures o action shall be taken involving any personal risk or without suitable training. If you are surrounding areas. Keep unnecessary and unprotected personnel from intering. Do not touch or walk through spilled material. Put on appropriate personal rotective equipment f specialized clothing is required to deal with the spillage, take note of any in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". void dispersal of spilled material and runoff and contact with soil, waterways, drains ind sewers. Inform the relevant authorities if the product has caused environmental ollution (sewers, waterways, soil or air). <u>mment and cleaning up:</u> top leak if without risk. Move containers from spill area. Dilute with water and mop up
ACCIDENTAL RELEASE MEASURES equipment and emergency procedures o action shall be taken involving any personal risk or without suitable training. evacuate surrounding areas. Keep unnecessary and unprotected personnel from ntering. Do not touch or walk through spilled material. Put on appropriate personal rotective equipment f specialized clothing is required to deal with the spillage, take note of any n Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". void dispersal of spilled material and runoff and contact with soil, waterways, drains nd sewers. Inform the relevant authorities if the product has caused environmental ollution (sewers, waterways, soil or air). mment and cleaning up: top leak if without risk. Move containers from spill area. Dilute with water and mop up
ACCIDENTAL RELEASE MEASURES equipment and emergency procedures o action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from ntering. Do not touch or walk through spilled material. Put on appropriate personal rotective equipment f specialized clothing is required to deal with the spillage, take note of any n Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". void dispersal of spilled material and runoff and contact with soil, waterways, drains nd sewers. Inform the relevant authorities if the product has caused environmental ollution (sewers, waterways, soil or air). mment and cleaning up: top leak if without risk. Move containers from spill area. Dilute with water and mop up
equipment and emergency procedures o action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from ntering. Do not touch or walk through spilled material. Put on appropriate personal rotective equipment if specialized clothing is required to deal with the spillage, take note of any in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". void dispersal of spilled material and runoff and contact with soil, waterways, drains ind sewers. Inform the relevant authorities if the product has caused environmental ollution (sewers, waterways, soil or air). nment and cleaning up: top leak if without risk. Move containers from spill area. Dilute with water and mop up
o action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from intering. Do not touch or walk through spilled material. Put on appropriate personal rotective equipment if specialized clothing is required to deal with the spillage, take note of any in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". void dispersal of spilled material and runoff and contact with soil, waterways, drains ind sewers. Inform the relevant authorities if the product has caused environmental ollution (sewers, waterways, soil or air). nment and cleaning up: top leak if without risk. Move containers from spill area. Dilute with water and mop up
 Avacuate surrounding areas. Keep unnecessary and unprotected personnel from intering. Do not touch or walk through spilled material. Put on appropriate personal rotective equipment A specialized clothing is required to deal with the spillage, take note of any in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". A void dispersal of spilled material and runoff and contact with soil, waterways, drains ind sewers. Inform the relevant authorities if the product has caused environmental ollution (sewers, waterways, soil or air). A ment and cleaning up: A top leak if without risk. Move containers from spill area. Dilute with water and mop up
n Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". void dispersal of spilled material and runoff and contact with soil, waterways, drains nd sewers. Inform the relevant authorities if the product has caused environmental ollution (sewers, waterways, soil or air). <u>nment and cleaning up:</u> top leak if without risk. Move containers from spill area. Dilute with water and mop up
nd sewers. Inform the relevant authorities if the product has caused environmental ollution (sewers, waterways, soil or air). <u>nment and cleaning up:</u> top leak if without risk. Move containers from spill area. Dilute with water and mop up
nment and cleaning up: top leak if without risk. Move containers from spill area. Dilute with water and mop up
water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and lace in an appropriate waste disposal container. Dispose of via a licensed waste isposal contractor.
top leak if without risk. Move containers from spill area. Prevent entry into sewers, ater courses, basements or confined areas. Wash spillages into an effluent treatment ant or proceed as follows. Contain and collect spillage with non-combustible, psorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in ontainer for disposal according to local regulations (see Section 13). Dispose of via a sensed waste disposal contractor. Note: see Section 1 for emergency contact formation and Section 13 for waste disposal
HANDLING AND STORAGE
ut on appropriate personal protective equipment (see Section 8).
ating, drinking and smoking should be prohibited in areas where this material is andled, stored and processed. Workers should wash hands and face before eating,
inking and smoking. Remove contaminated clothing and protective equipment before
easures.
ore in accordance with local regulations. Store in original container protected from
rect sunlight in a dry, cool and well-ventilated area, away from incompatible materials
ee Section 10) and food and drink. Keep container tightly closed and sealed until ady for use. Containers that have been opened must be carefully resealed and kept
oright to prevent leakage. Do not store in unlabeled containers. Use appropriate ontainment to avoid environmental contamination.

regulations. Use necessary controls to monitor tank inventories. Inspect all storage tanks on a periodic basis. Test tanks and associated piping for tightness. Maintain the automatic leak detection devices to assure proper working condition.

SECTION 8	EXPOSURE CONTROLS/PERSONAL PROTECTION
Control parameters	
Occupational exposure I	<u>imits</u>
None identified.	
Appropriate engineering: Controls	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, vapor controls, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection meas	Sures
Hygiene measures	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	Safety glasses equipped with side shields are recommended as minimum protection in industrial settings. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: Splash goggles. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If inhalation hazards exist, a full-face respirator may be required.
Skin protection	
Hand protection:	Chemical-resistant gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary
Body protection:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection:	Use a properly fitted, air-purifying or supplied-air respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be
	based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
SECTION 9	PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Liquid
Color	Amber
Flash Point	200 Deg C, 401 Deg F (min)
Upper Flammable Limit	Not determined.
Lower Flammable Limit	Not determined.
Vapor density	>1 { Air = 1}.
Specific Gravity	0.858 (15.6 Deg C)
Water Solubility	Insoluble.
Odor	Mild
Viscosity	Kinematic (100C) 5.6 cSt –9.2 cSt
Boiling Point	289 Deg C, 552 Deg F (Initial)
Pour Point Temperature	<-48C

SECTION 10

REACTIVITY AND STABILITY

.

reactions:

Products

SECTION 11

Chemical stability

Conditions to avoid

Incompatible materials

Not expected to be Explosive, Self-Reactive, Self-Heating, or an Organic Peroxide under US GHS Definition(s). The product is stable. Possibility of hazardous Under normal conditions of storage and use, hazardous reactions will not occur No specific data . No specific data.

Hazardous decomposition Under normal conditions of storage and use, hazardous decomposition products should not be produced.

TOXICOLOGICAL INFORMATION

SECTION IT	
Information on toxicologi	cal effects
Acute toxicity	
Conclusion/Summary	Distillates (petroleum), hydro treated heavy paraffinic: Mineral oil mists derived from highly refined oils are reported to have low acute and sub-acute toxicities in animals. Effects from single and short-term repeated exposures to high concentrations of mineral oil mists well above applicable workplace exposure levels include lung inflammatory reaction, lipoid granuloma formation and lipoid pneumonia. In acute and sub-acute studies involving exposures to lower concentrations of mineral oil mists at or near current work place exposure levels produced no significant toxicological effects. Distillates (petroleum), solvent-dewaxed heavy paraffinic: Mineral oil mists derived from highly refined oils are reported to have low acute and sub-acute toxicities in animals. Effects from single and short-term repeated exposures to high concentrations of mineral oil mists well above applicable workplace exposure levels include lung inflammatory reaction, lipoid granuloma formation and lipoid pneumonia. In acute and sub-acute studies involving exposures to lower concentrations of mineral oil mists at or near current work place exposure levels produced no significant toxicological effects.
Irritation/Corrosion	
Skin	No additional information
Eyes	No additional information
Respiratory	No additional information
Sensitization	
Skin	No additional information
Respiratory	No additional information
Mutagenicity	
	No additional information
Carcinogenicity	
	No additional information
Teratogenicity	
Conclusion/Summary	No additional information
Information on the likely routes of exposure	Routes of entry anticipated: Dermal.
Potential acute health effe	acts
Eye contact	No known significant effects or critical hazards
Inhalation	No known significant effects or critical hazards.
Ingestion	No known significant effects or critical hazards.
Skin contact	No known significant effects or critical hazards.
Symptoms related to the	nhysical, chamical and toxical agical characteristics
Eye contact	physical, chemical and toxicological characteristics No known significant effects or critical hazards.
Inhalation	No known significant effects or critical hazards.
Ingestion	No known significant effects or critical hazards.
Skin contact	No known significant effects or critical hazards
Potential chronic health e	
General	No known significant effects or critical hazards.
Carcinogenicity	No known significant effects or critical hazards.
Mutagenicity	No known significant effects or critical hazards.
Teratogenicity	No known significant effects or critical hazards.
Developmental effects	No known significant effects or critical hazards.
Fertility effects	No known significant effects or critical hazards.
SECTION 12	ECOLOGICAL INFORMATION
Toxicity	

Conclusion/Summary	Not available					
Persistence and degrad	-					
Conclusion/Summary	Not available.					
Bioaccumulative Potential	Not available	Not available				
Mobility in soil						
Soil/water partition coefficient (KOC)	Not available	Not available				
Other adverse effects	No known significant ef	fects or critical hazards.				
SECTION 13		SPOSAL CONSIDERATIO	DNS			
Disposal methods			zed wherever possible. Disposal			
Diopeourmound		is and any by-products should				
		nmental protection and waste				
	regional local authority	requirements. Dispose of surp	blus and non-recyclable products			
			ld not be disposed of untreated to			
			s of all authorities with jurisdiction.			
			nd its container must be disposed			
			in some product residues. Avoid ith soil, waterways, drains and			
	sewers.		in soll, waterways, trains and			
SECTION 14		RANSPORT INFORMATIO	Ν			
	OT Classification	IMDG	ΙΑΤΑ			
	not regulated	not regulated	not regulated			
UN proper	liet i ogulated	norrogalatoa	notrogulatou			
shipping name						
transport						
Hazard class						
Environmental						
Hazards						
<u></u>						
Special precautions for user: Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of accident or spillage.						
Transport in bulk according Not available. to Annex II of MARPOL 73/78 and the IBC Code:						
SECTION 15	RI	EGULATORY INFORMATI	ON			
U.S. Federal regulations		ventory (TSCA 8b): All compo				
-	Clean Water Act	(CWA) 307: zinc 0,0,0',0'-tet	trakis(1,3-dimethylbutyl) bis			
		e); Zinc alkyl dithiophosphate				
		(CWA) 311: vinyl acetate				
			n 311 of the Clean Water Act (CWA)			
			rges or spills which produce a visible			
	sheen on waters of the United States, their adjoining shorelines, or into conduits leading to surface waters must be reported to the EPA's National Response Center at (800) 424-8802.					
Composition/informatio	on on ingredients					
		<u>SARA 302 TPQ</u>	SARA 304 RQ			
Name		% EHS (lbs) (g	allons) (lbs) (gallons)			

					8	
Name		%	EHS	(lbs)	(gallons)	(lbs) (gallons)
Vinyl acetate		<0.01	yes	1000	129	5000 644.8
SARA 311/312						
Classification	Not applicable.					
Composition/information of	on ingredients					


State regulations

Massachusetts New York New Jersey	None of the components are listed. None of the components are listed. None of the components are listed.
Pennsylvania	None of the components are listed.
International regulations	Australia inventory (AICS): All components are listed or exempted. China inventory (IECSC): Not determined. Japan inventory: Not determined. Korea inventory: All components are listed or exempted. Malaysia Inventory (EHS Register): Not determined. New Zealand Inventory of Chemicals (NZIoC): All components are listed or exempted. Philippines inventory (PICCS): All components are listed or exempted. Taiwan inventory (CSNN): Not determined
Canada inventory	All components are listed or exempted.
EU Inventory	At least one component is not listed in EINECS but all such components are listed in ELINCS.
WHMIS (Canada)	Please contact your supplier for information on the inventory status of this material. Not controlled under WHMIS (Canada).
WHMIS (Canada)	

SECTION 16

OTHER INFORMATION

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

<u>History</u> Date of issue/Date of Revision	06/01/2015
Key to abbreviations:	ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations

THE INFORMATION IN THIS SAFETY DATA SHEET (SDS) WAS OBTAINED FROM SOURCES WHICH WE BELIEVE ARE RELIABLE. HOWEVER, THE INFORMATION IS PROVIDED WITHOUT ANY WARRANTY, EXPRESSED OR IMPLIED REGARDING ITS CORRECTNESS OR ACCURACY. SOME INFORMATION PRESENTED AND CONCLUSIONS DRAWN HEREIN ARE FROM SOURCES OTHER THAN DIRECT TEST DATA ON THE SUBSTANCE ITSELF. THIS SDS WAS PREPARED AND IS TO BE USED ONLY FOR THIS PRODUCT. IF THE PRODUCT IS USED AS A COMPONENT IN ANOTHER PRODUCT, THIS SDS INFORMATION MAY NOT BE APPLICABLE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION OR PRODUCTS FOR THEIR PARTICULAR PURPOSE OR APPLICATION.

THE CONDITIONS OR METHODS OF HANDLING, STORAGE, USE, AND/OR DISPOSAL OF THE PRODUCT ARE BEYOND OUR CONTROL AND MAY BE BEYOND OUR KNOWLEDGE. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR ANY LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH HANDLING, STORAGE, USE OR DISPOSAL OF THE PRODUCT.