

Safety Data Sheet SDS Number: 20046

SDS Number: 20046 Issue Date: 06/01/15 Reviewed: 06/01/15

SECTION 1	PRODUCT IDENTIFICATION
GHS product Identifier: Synonyms:	Chemlube Premium Hydraulic AW 46 Hydraulic Oil
MANUFACTURER/ ADDRE	SS: Chemlube International LLC 500 Mamaroneck Ave. Harrison, N.Y. 10528 USA
CHEMTREC – General Assistance Numbe	(800) 424-9300 er: (914) 381 5800
SECTION 2	HAZARDS IDENTIFICATION
OSHA/HCS status:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture:	Not classified.
<u>GHS label elements</u> Signal Word : Hazard statements :	No signal word . No known significant effects or critical hazards.
Precautionary statements General :	Avoid contact with eyes, skin and clothing. May be harmful if swallowed. IF IN EYES : Rinse cautiously with water for several minutes. If swallowed, do not induce vomiting. After handling, always wash hands thoroughly with soap and water. If you feel unwell, seek medical attention and show the label when possible. Keep out of reach of children.
Prevention : Response : Storage :	Not applicable. Not applicable. Store in a dry place and/or in closed container. Store in accordance with all local, regional, national and international regulations.
Disposal :	Dispose of contents and container in accordance with all local, regional, national and international regulations.
Hazards not otherwise classified	None known
SECTION 3	Composition/Information on Ingredients

Components	CAS Number	Amount
Highly refined mineral oil	Mixture	95 – 99 %weight
Petroleum Additives	Mixture	0.50-1.0 %weight

Any concentration shown as a range is to protect confidentiality or is due to process variation.

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations

applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4 FIRST AID MEASURES

Description of necessary first aid measures

Eye contact:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur
Skin contact:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion:	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute

Potential acute health effects

Inhalation :	No known significant effects or critical hazards.
Ingestion :	No known significant effects or critical hazards.
Skin contact :	No known significant effects or critical hazards.
Eye contact :	No known significant effects or critical hazards.

Over-exposure signs/symptoms

Inhalation:	No specific data
Ingestion:	No specific data
Skin contact:	No specific data
Eye contact :	No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician :	Treat symptomatically. Contact poison treatment specialist immediately if large
	quantities have been ingested or inhaled.
Specific treatments :	Treat symptomatically and supportively.
Protection of first-aiders :	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 13)

SECTION 5

FIRE FIGHTING MEASURES

Specific hazards arising: In a fire or if heated, a pressure increase will occur and the container may burst. **from the chemical**

Extinguishing media Suitable extinguishing Unsuitable extinguishing media

Use an extinguishing agent suitable for the surrounding fire None known

SECTION 5	FIRE FIGHTING MEASURES			
Hazardous thermal decomposition products	Decomposition products may include the following materials: carbon dioxide carbon monoxide sulfur oxides phosphorus oxides metal oxide/oxides			
Special protective actions: for fire-fighters	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.			
Special protective equipment for fire-fighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode			
SECTION 6	ACCIDENTAL RELEASE MEASURES			
Personal precautions, protect	tive equipment and emergency procedures			
For non-emergency personnel	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment			
For emergency responders:	If specialized clothing is required to deal with the spillage, take note of any in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".			
Environmental precautions:	Avoid dispersal of spilled material and runoff and contact with soil, waterways,drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).			
Methods and materials for co	ntainment and cleaning up:			
Small spill:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.			
Large spill:	Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal			
SECTION 7	HANDLING AND STORAGE			
Precautions for safe handling Protective measures Advice on general occupational hygiene				
Conditions for safe storage, including any incompatibilities	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.			

SECTION 7

HANDLING AND STORAGE

Bulk Storage Conditions: Maintain all storage tanks in accordance with applicable regulations. Use necessary controls to monitor tank inventories. Inspect all storage tanks on a periodic basis. Test tanks and associated piping for tightness. Maintain the automatic leak detection devices to assure proper working condition.

SECTION 8	EXPOSURE CONTROLS/PERSONAL PROTECTION			
Control parameters				
Occupational exposure	limits			
None identified.				
•				
Appropriate engineering:	Good general ventilation should be sufficient to control worker exposure to airborne			
Controls	contaminants.			
Environmental exposure controls:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some			
controlo.	cases, vapor controls, filters or engineering modifications to the process equipment will			
	be necessary to reduce emissions to acceptable levels.			
Individual protection meas	sures			
Hygiene measures	Wash hands, forearms and face thoroughly after handling chemical products, before			
	eating, smoking and using the lavatory and at the end of the working period.			
	Appropriate techniques should be used to remove potentially contaminated clothing.			
	Wash contaminated clothing before reusing. Ensure that eyewash stations and safety			
	showers are close to the workstation location.			
Eye/face protection	Safety glasses equipped with side shields are recommended as minimum protection in			
Ejondoo protootion	industrial settings. If contact is possible, the following protection should be worn, unless			
	the assessment indicates a higher degree of protection: Splash goggles. Safety			
	eyewear complying with an approved standard should be used when a risk assessment			
	indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.			
	If inhalation hazards exist, a full-face respirator may be required.			
Skin protection				
Hand protection:	Chemical-resistant gloves complying with an approved standard should be worn at all			
Body protection:	times when handling chemical products if a risk assessment indicates this is necessary Personal protective equipment for the body should be selected based on the task being			
Body protection.	performed and the risks involved and should be approved by a specialist before			
	handling this product.			
Other skin protection:	Appropriate footwear and any additional skin protection measures should be selected			
• • • •	based on the task being performed and the risks involved and should be approved by a			
	specialist before handling this product.			
Respiratory protection:	Use a properly fitted, air-purifying or supplied-air respirator complying with an approved			
	standard if a risk assessment indicates this is necessary. Respirator selection must be			
	based on known or anticipated exposure levels, the hazards of the product and the safe			
	working limits of the selected respirator.			
SECTION 9	PHYSICAL AND CHEMICAL PROPERTIES			

Physical State	Liquid
Color	Amber
Flash Point	200 Deg C, 392 Deg F (min)
Upper Flammable Limit	Not determined.
Lower Flammable Limit	>1 { Air = 1}.
Vapor density	0.86 (15.6 Deg C)
Specific Gravity	Insoluble.
Water Solubility	Mild
Odor	Kinematic (100C) 6.0 cSt. 7.0 cSt.
,	

.

SECTION 10

REACTIVITY AND STABILITY

Reactivity	Not expected to be Explosive, Self-Reactive, Self-Heating, or an Organic Peroxide under US GHS Definition(s).
Chemical stability	The product is stable.
Possibility of hazardous reactions:	Under normal conditions of storage and use, hazardous reactions will not occur
Conditions to avoid	No specific data .
Incompatible materials	No specific data.
Hazardous decomposition	Under normal conditions of storage and use, hazardous decomposition products should
Products	not be produced.
Possibility of hazardous reactions:. Conditions to avoid Incompatible materials Hazardous decomposition	Under normal conditions of storage and use, hazardous reactions will not occur No specific data . No specific data. Under normal conditions of storage and use, hazardous decomposition products should

SECTION 11	TOXICOLOGICAL INFORMATION
Information on toxicologi	
Acute toxicity	
Conclusion/Summary	Distillates (petroleum), hydrotreated heavy paraffinic: Mineral oil mists derived from
	highly refined oils are reported to have low acute and sub-acute toxicities in animals.
	Effects from single and short-term repeated exposures to high concentrations of mineral
	oil mists well above applicable workplace exposure levels include lung inflammatory
	reaction, lipoid granuloma formation and lipoid pneumonia. In acute and sub-acute
	studies involving exposures to lower concentrations of mineral oil mists at or near
	current work place exposure levels produced no significant toxicological effects.
	Distillates (petroleum), solvent-dewaxed heavy paraffinic: Mineral oil mists derived
	from highly refined oils are reported to have low acute and sub-acute toxicities in
	animals. Effects from single and short-term repeated exposures to high concentrations
	of mineral oil mists well above applicable workplace exposure levels include lung
	inflammatory reaction, lipoid granuloma formation and lipoid pneumonia. In acute and
	sub-acute studies involving exposures to lower concentrations of mineral oil mists at or
Irritation/Corrosion	near current work place exposure levels produced no significant toxicological effects.
Skin	No additional information
Eyes	No additional information
Respiratory	No additional information
Sensitization	
Skin	No additional information
Respiratory	No additional information
Mutagenicity	
	No additional information
Carcinogenicity	
Conclusion/Summary	No additional information
Teratogenicity	
Conclusion/Summary	No additional information
Information on the likely	Routes of entry anticipated: Dermal.
routes of exposure	
Potential acute health effe	
Eye contact	No known significant effects or critical hazards
Inhalation	No known significant effects or critical hazards.
Ingestion	No known significant effects or critical hazards.
Skin contact	No known significant effects or critical hazards.
	physical, chemical and toxicological characteristics
Eye contact	No known significant effects or critical hazards.
Inhalation	No known significant effects or critical hazards.
Ingestion Skin contact	No known significant effects or critical hazards.
Skin contact	No known significant effects or critical hazards
Potential chronic health e	ffects
General	No known significant effects or critical hazards.
Carcinogenicity	No known significant effects or critical hazards.
Mutagenicity	No known significant effects or critical hazards.
Teratogenicity	No known significant effects or critical hazards.
Developmental effects	No known significant effects or critical hazards.

SECTION 12	No known significant effects				
	ECOL	OGICAL I	NFORMAT	TION	
Foxicity Conclusion/Summary	Not available				
Persistence and degrada					
Conclusion/Summary	Not available.				
Bioaccumulative Potential	Not available				
Mobility in soil Soil/water partition coefficient (KOC)	Not available				
Other adverse effects	No known significant effects	or critical h	azards.		
SECTION 13		SAL CON		IONS	
<u>Disposal methods</u>	The generation of waste sho of this product, solutions and requirements of environmen regional local authority requi via a licensed waste disposa the sewer unless fully comp Waste packaging should be of in a safe way. Empty cont dispersal of spilled material sewers.	d any by-pro ital protection irements. D al contracto liant with the recycled. T tainers or lin	oducts shou on and wast ispose of su r. Waste sho e requireme his material ners may re	Id at all times e disposal le urplus and no ould not be d ents of all aut l and its conta tain some pro	s comply with the gislation and any in-recyclable products isposed of untreated to norities with jurisdiction. ainer must be disposed oduct residues. Avoid
SECTION 14		SPORT IN	FORMAT	ION	
	OT Classification	IMDG	••••••		ΙΑΤΑ
	ot regulated	not reg	ulated		not regulated
UN proper					
shipping name					
transport Hazard class					
Environmental					
Hazards					
Special precautions for u	user: Transport within user upright and secure. En- event of accident or sp	sure that pe			osed containers that are roduct know what to do in the
Transport in bulk accordi to Annex II of MARPOL 73/78 and the IBC Code:	ing Not available.				
SECTION 15	PECI	LATORY			
U.S. Federal regulations	United States invento Clean Water Act (CW) (phosphorodithioate); Z Clean Water Act (CW) This material is classifi and the Oil Pollution Ac sheen on waters of the	A) 307: zinc inc alkyl ditl A) 311: viny ed as an oil ct of 1990 (United Sta	b): All com : 0,0,0',0'- niophosphat d acetate under Sect DPA). Disch tes, their ad	ponents are tetrakis(1,3-c te tion 311 of th harges or spil ijoining shore	limethylbutyl) bis e Clean Water Act (CWA) ls which produce a visible lines, or into conduits leading
	to surface waters must	be reported	a to the EPA	as National F	Response Center at (800)
	424-8802.				
Composition/information		S	ARA 302 T	PQ	SARA 304 RQ
<u>Composition/information</u> <u>Name</u> Vinyl acetate		EHS		PQ (gallons) 129	<u>SARA 304 RQ</u> (Ibs) (gallons) 5000 644.8

MSDS # 20046

Page 6 of 8

Chemlube Premium Hydraulic AW 46


Composition/information on ingredients

<u>State regulations</u> Massachusetts New York New Jersey Pennsylvania	None of the components are listed. None of the components are listed. None of the components are listed. None of the components are listed.
International regulations	Australia inventory (AICS): All components are listed or exempted. China inventory (IECSC): Not determined. Japan inventory: Not determined. Korea inventory: All components are listed or exempted. Malaysia Inventory (EHS Register): Not determined. New Zealand Inventory of Chemicals (NZIoC): All components are listed or exempted. Philippines inventory (PICCS): All components are listed or exempted. Taiwan inventory (CSNN): Not determined
Canada inventory EU Inventory	All components are listed or exempted. At least one component is not listed in EINECS but all such components are listed in ELINCS.
WHMIS (Canada)	Please contact your supplier for information on the inventory status of this material. Not controlled under WHMIS (Canada).

....

OTHER INFORMATION

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

<u>History</u>	
Date of issue/Date of	06/01/2015
Revision	
Key to abbreviations:	ATE = Acute Toxicity Estimate
	BCF = Bioconcentration Factor
	GHS = Globally Harmonized System of Classification and Labelling of Chemicals
	IATA = International Air Transport Association
	IBC = Intermediate Bulk Container
	IMDG = International Maritime Dangerous Goods
	LogPow = logarithm of the octanol/water partition coefficient
	MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations

THE INFORMATION IN THIS SAFETY DATA SHEET (SDS) WAS OBTAINED FROM SOURCES WHICH WE BELIEVE ARE RELIABLE. HOWEVER, THE INFORMATION IS PROVIDED WITHOUT ANY WARRANTY, EXPRESSED OR IMPLIED REGARDING ITS CORRECTNESS OR ACCURACY. SOME INFORMATION PRESENTED AND CONCLUSIONS DRAWN HEREIN ARE FROM SOURCES OTHER THAN DIRECT TEST DATA ON THE SUBSTANCE ITSELF. THIS SDS WAS PREPARED AND IS TO BE USED ONLY FOR THIS PRODUCT. IF THE PRODUCT IS USED AS A COMPONENT IN ANOTHER PRODUCT, THIS SDS INFORMATION MAY NOT BE APPLICABLE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION OR PRODUCTS FOR THEIR PARTICULAR PURPOSE OR APPLICATION.

THE CONDITIONS OR METHODS OF HANDLING, STORAGE, USE, AND/OR DISPOSAL OF THE PRODUCT ARE BEYOND OUR CONTROL AND MAY BE BEYOND OUR KNOWLEDGE. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR ANY LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH HANDLING, STORAGE, USE OR DISPOSAL OF THE PRODUCT.